

# XTP 604

EASY PRINTING OF TAGS, CARDS OR TICKETS

- High precision in feeding and stacking
- For various tag materials, sizes and forms
- Excellent print quality
- Maximum user-friendliness

# TAG PRINTING IN PERFECTION

## 2 in 1 solution for printing and stacking tags

The XTP 604 Single Tag Printer is based on the XLP 604 Label Printer and its features and benefits. With its excellent print quality, this printer is the perfect solution for industrial printing of single cards, hang tags, tickets, price tags and blister cards.

The XTP 604 also scores with its reliable transport system which guarantees a smooth and flat transport of the tags from infeed to outfeed. The flexible tag holder of the XTP 604 can be adjusted to different tag sizes in a matter of seconds.

### INDUSTRIAL 4-KEY DISPLAY

- Large display with color backlighting
- Intuitive, icon-guided navigation
- Perfect for industrial environments
- Optional Remote Display

### ROBUST AND DURABLE

- High-quality product components such as robust housing with sturdy metal frame
- State of the art electrical components
- Long lifetime guarantee

### MAXIMUM UPTIME

- Easy loading of tags and ribbon
- Ribbon roll capacity up to 1100 m length
- Large window to keep an overview of ribbon roll filling level
- Large infeed magazine for a large number of tags

### FOR 4" PRINT WIDTH

- The XTP 604 is available in 4" (106 mm) print width
- Perfect for printing tags, blister cards and tickets

### EXCELLENT PRINT PERFORMANCE

- Excellent print quality
- Thermal transfer or thermal direct printing with 300 dpi print resolution
- Market leading print speed up to 400 mm/s
- Easy-to-use ribbon mandrels to ensure stable ribbon tension for excellent print results

### EASY & CONVENIENT MAINTENANCE & CLEANING

- Open print module for easy cleaning
- 100% tool-free maintenance
- Fast replacement of wear parts


### AUTOMATIC SETTINGS

- Smart continuous ribbon tension for excellent print results
- Automatic setting of print head parameters such as pressure and contrast

### RADIO-FREQUENCY IDENTIFICATION



Contactless communication, identification & tracking of objects thanks to RFID technology



# BENEFITS



## EXCELLENT PRINT QUALITY

The XTP 604 delivers first-class print results on many paper or carton tag materials.



## MAXIMUM USER-FRIENDLINESS

Easy exchange of ribbon material and fast infeed of the single tags. Remote access and configuration from any mobile device.




## FLAT FEED & OUTPUT

Single tags remain flat after printing and no cutting is necessary as with tags on a roll.



## MAXIMUM UPTIME

With two different stack infeed heights (basic and extended) the XTP 604 is the preferred solution for high processing capacity of different tags.



### SPECIFICATIONS

Print specifications	Print resolution	300 dpi / 12 dots/mm
	Print speed*	8"/200mm/s
Tag material	Tag width standard	30 - 70mm
	Tag width optional	45 - 96mm
	Tag length	55 - 175mm
	Weight	up to 240 g/m <sup>2</sup>
	Thickness	up to 280 µm
Thermal transfer ribbon	Roll length	up to 1100 m
Dimensions	H x W x L	330 x 312 x 496 mm
	Weight (basic version)	22,6 kg
Options	Automatic outfeed stacker	
	Ribbon Save Function	
	Additional I/O Boards	
	EPC RFID UHF Gen. 2	

\*Recommended specifications; highly depending on tag materials/surfaces/thickness

# VARIOUS APPLICATIONS

The XTP 604 can be used to print a wide range of tags across all industries:



BLISTERS CARDS



HANG TAGS



CARDS



TICKETS